

Product Specifications - Written

30in Figure 4 Handrail 1.5" OD

Product Name: Figure 4 Handrail 1.5in

Part Number: 12053

R.Smith.

General Notes: The **Figure 4 Handrail** is a moderate height rail made of polished type 304 stainless steel. (add –MG to part number for 316L marine grade stainless steel). Sold in pairs.

Application:

With proper anchoring, the Figure 4 Handrail is suitable for use on poured concrete, shotcrete, fiberglass, and vinyl commercial pools and spas as well as for other applications in most geographic areas.

Specifications:

- **1. Handrail:** The handrail is made of 1.50" O.D. (38.1 mm) type 304 polished stainless steel and is available in .120" (3.0mm) wall thickness. All bends are a nominal 6" (152.4mm) radius.
- **2. Escutcheon (Optional):** (p/n EP-150 or EP-150-MG): These recommended escutcheon plates are 4.5" (114.3mm) in diameter and made of 304 or 316 stainless steel.
- **3. Anchor Assembly (Optional)** (p/n AS-204MG): This recommended anchor socket is 316 marine grade stainless steel. It is intended for heavy-duty commercial use and secure fixtures by means of a wedge assembly. The anchor comes with a brass 1/4-20 UNC grounding screw for bonding.

Additional Product Numbers and Shipping Weight:

| MODEL NUMBER | DESCRIPTION | SHIPPING WEIGHT |
|--------------|--|--------------------|
| 12053 | 30" Figure 4 Handrail 1.50" O.D. x .120 Wall | 24lbs. (10.9kg) |
| | | |

| Specification Number: SRS-614 | | | | |
|-------------------------------|--|----------------|------------------------------------|--|
| Product Description: | Product Description: Figure 4 Handrail 1.5in | | S.R. Smith, LLC | |
| S.R. Smith Part Number: | th Part Number: 12053 | | P.O. Box 400, 1017 SW Berg Parkway | |
| Revision: | В | Date: 12/12/16 | Canby, Oregon 97013 | |
| Written By: | K Andrus-Hughes | Date: 12/12/16 | Tel: (888) 677-7776 (503) 266-2231 | |
| Approved By: | B. Svendsen | Date: 12/12/16 | Fax: (503) 266-4334 | |
| Page 2 of 2 | Proprietary and confidential: The information contained in this specification is the sole property of S.R. Smith LLC. Any reproduction in part or whole without the written consent of S.R. Smith LLC is prohibited. | | www.srsmith.com | |