

# POOL

# Pool Better



#### Reliable LED technology, flexible performance and energy efficient designs.

#### Mod-Lite® and Mod-Lite® MultiWhite™

Safe, submersible wireless power for pools and spas

- Low-profile wireless design
- Mod-Lite RGB LED 7
   Watt 12VAC light
- Mod-Lite MultiWhite
   9 Watt 12VAC light (3
   Whites in 1 Light)
- 80' or 150' cord length options



### TREO™

Serviceable return fitting light for pools, spas and water features • Field-replaceable lamp

- 5 Watt, 12VACRGB or White Only LED
- Light • 30', 50', 80' or 150' cord length options
- Fiberglass pool model available (FG Series)



### kēlo®XL

Large format 10" niche LED pool light ideal for new construction and retrofit applications • Low-profile design • Color RGB LED Light (38W)

White Only Model (42W)
80' or 150' cord length

options



#### kēlo®

Low-profile return fitting light for pools, spas and water features • Low-profile design

- 7 Watt, 12VACColor RGB LED Light
- 80' or 150' cord length options



### micro

Accent light for water features, steps, and shelves

- Compact design2 Watt, 12VAC
- RGB or White Only
- LED Light
- 30', 50', 80' or 150' cord length options



**FIBER OPTIC LIGHTING** 

# Star Feature Kits Transform the night with LED-illuminated Fiber Optic Lighting.

S.R.Smith offers two pre-configured Star Feature Kits in 25 or 50-points of light bundles that add amazing depth and richness to your pool designs.

# TRANSFORMERS / LIGHTING CONTROLS

Lighting control power units designed for safety, durability and hassle-free performance.



#### Premier

CUSTOM LIGHTING CONTROL POWER UNIT

- Integrated control switches
- Wireless remote
- 49 custom color options
- 4 Dimming Levels (via Wireless Remote)
- 70W (7W per channel)
- Works exclusively with S.R.Smith Lights



- WIRELESS LIGHTING TRANSFORMER
- Integrated control switch
- Wireless remote
- 60W or 100W options (Plus)
- 1 or 2-zone control (Plus2)
- 120W total- 60W per zone (Plus2)



LIGHTING TRANSFORMER

• Integrated control switch

• 60W or 100W options

# FIBER TO LED UPGRADES



### PT-6001 & PT-6002

Re-light your pools - Convert fading fiber to vibrant LED with these newly updated models.

S.R.Smith offers a range of 1, 2, or 3 Mod-Lite, TREO, or kelo Light Kits for cost-effective, quick change-outs.

# TABLE OF CONTENTS

# LED LIGHTS

Mod-Lite®	4
Mod-Lite® MultiWhite™	5
TREO® LED Light	6
kēlo®XL LED Light	7
kēlo® LED Light	8
micro LED Light	9
Fiberglass (FG) LED Light	10
Lighting Configuration Guide	.12

## TRANSFORMERS/LIGHTING CONTROLS

boolLUX® Premier14	4
DoolLUX® Plus21	5
DoolLUX® Plus1	6
boolLUX® Power1	7
PT6001 & PT60021	8

# ADVANCED APPLICATIONS

Fiber to LED Conversion Kits	18
Star Feature Kits	19
Specialized Applications	.20
Trade Central	. 23





Mod-Lite<sup>®</sup> is an LED light that blends modular design with wireless power to deliver unmatched flexibility, convenience, safety and savings. PowerPass® Wireless technology allows power to flow directly to the wireless LED lamp module, without a physical connection to power; making installation faster, safer and more efficient; plus replacement and winterization is a snap.

- PowerPass<sup>®</sup> Wireless Technology enabled
- 12VAC 7 Watt LED light for gunite, vinyl liner, and fiberglass pools and spas
- Low profile wireless lamp
- Designed for use with standard 1.5" wall fittings and conduit down to 0.75"
- Available in lengths of 80' or 150' as single units or in bulk packs
- No earth bonding required
- Color functions:
  - Advanced color functionality with poolLUX Premier: (49) color variations and 4 levels of dimming via wireless remote
  - 12V controls: (6) colors (white, blue, green, red, amber, magenta), and (2) light shows (fast/slow)
- (5) colored trim plates in (2) different shapes (square and round) for a total of (10) options for maximum customization
- 3 vear warrantv
- ETL Listed Conforms to UL676, certified to CSA C22.2 #89
- U.S. Patent No. 11.326.363



#### SCAN THE CODE TO SEE MOD-LITE IN ACTION OR VISIT MOD-LITE.COM







Color Wheel Dimmina \* Available With poolLUX Premie

Advanced Options\*

Part No.	Description
MLED-C-80	(1) Mod-Lite 7 Watt RGB LED Light, 80' Cord
MLED-C-80-PK10	(10) Mod-Lite 7 Watt RGB LED Lights, 80' Cord
MLED-C-150	(1) Mod-Lite 7 Watt RGB LED Light, 150' Cord
MLED-C-150-PK8	(8) Mod-Lite 7 Watt RGB LED Lights, 150' Cord
MLED-LM-C	Mod-Lite 7 Watt RGB LED Replacement Lamp

Trim Plate Color Options

Beige

White

Black



#### Finally. 3 Whites in 1 Light.

Mod-Lite<sup>®</sup> MultiWhite<sup>™</sup> is the newest revolution in white LED lighting.


MultiWhite is a one-of-a-kind lighting product, as it is the ONLY light with three distinct shades of white in one physical light. Select between Cool White, Classic White and Warm White to create the ambiance or desired mood of your choice.

- PowerPass<sup>®</sup> Wireless Technology enabled
- 3 whites in 1 light (Cool White, Classic White, Warm White)
- 12VAC 9W LED light for gunite, vinyl liner and fiberglass pools
- Low profile wireless lamp
- Designed for use with standard 1.5" wall fittings and conduit down to 0.75"
- Available in length of 80' or 150', as single units or as a combo pack with RGB Mod-Lite lamp module
- (5) colored trim plates in (2) different shapes (square and round) for a total of (10) options for maximum customization
- 3-year warranty
- ETL Listed Conforms to UL676, certified to CSA C22.2 #89
- U.S. Patent No. 11.326.363

#### More Hues. Less SKUs!

Combo packs available with both MultiWhite and RGB lamp modules! Now you can easily change from white to RGB with a twist of the wrist.






\*Actual white shades will vary upon pool interior colors

Trim Plate


Shape Options



# LED ) LIGHTS







Part No.	Description
MLED-MW-80	(1) Mod-Lite 9W MultiWhite LED, 80' Cord
MLED-MW-150	(1) Mod-Lite 9W MultiWhite LED, 150' Cord
MLED-LM-MW	(1) Mod-Lite 9W MultiWhite LED Replacement Lamp Module
MLED-CMW-80	(1) Mod-Lite 7W RGB LED Light and (1) Mod-Lite 9W MultiWhite LED Lamp Module, 80' Cord
MLED-CMW-150	(1) Mod-Lite 7W RGB LED Light and (1) Mod-Lite 9W MultiWhite LED Lamp Module, 150' Cord

Mod-Lite MultiWhite is not compatible with poolLUX Premier

# TREO<sup>®</sup> LED Light

The TREO is a 12VAC, 5 Watt LED underwater light for gunite, vinyl liner, and fiberglass pools with a replaceable LED lamp.

- Serviceable design Replaceable LED lamp
- Designed for use with 1.5" diameter threaded wall fittings
- Available in lengths of 30', 50', 80', 150'
- No earth bonding required
- White or color changing LED models available
- Color functionality:
- Advanced operation with poolLUX Premier Up to (49)color variations and dimming control (via wireless remote)
- 12VAC operation (6) colors (white, blue, green, red, amber, magenta) and (2) light shows
- Color memory function
- Five colored trim rings included to match the surface of your pool
- 3 year warranty
- ETL Listed Conforms to UL676
- Certified to CSA C22.2 #89
- Compatible with all S.R.Smith lighting control power units



- 3 7/16"-

1 13/16"

1 7/16"

FITS MOST 1.5" FITTINGS,

INTERNAL THREADS

— 2 3/8"——


13/16"


3 1/2"

# kēlo<sup>®</sup>XL LED Light

The keloXL is a 12VAC 10" class LED pool light for gunite, fiberglass and vinyl liner pools.

- Low profile design
- RGB color model (38W)
- White only model (42W) - 2,395 lumens and is equivalent to 300W incandescent light
- No bonding or grounding required
- Corrosion resistant, sealed design
- Diamond pattern lens
- 80' and 150' cord options with built-in cord keeper
- Trim plate available in White or Gray
- Color functionality: (6) colors (white, blue, green, red, amber, magenta) and (2) light shows
- 3 year warranty
- ETL Listed Conforms to UL676
- Certified to CSA C22.2 #89
- Compatible with most S.R.Smith transformers excluding WIR-Tran and SRS-TX-30











Dimming

Part No.	Description
FLED-C-TR-30	(1) TREO 5 Watt RGB LED Light, 30' Cord
FLED-C-TR-50	(1) TREO 5 Watt RGB LED Light, 50' Cord
FLED-C-TR	(1) TREO 5 Watt RGB LED Light, 80' Cord
FLED-C-TR-PK8	(8) TREO 5 Watt RGB LED Lights, 80' Cord
FLED-C-TR-150	(1) TREO 5 Watt RGB LED Light, 150' Cord
FLED-C-TR-150-PK8	(8) TREO 5 Watt RGB LED Lights, 150' Cord
FLED-W-TR	(1) TREO 5 Watt White LED Light, 80' Cord
FLED-W-TR-150	(1) TREO 5 Watt White LED Light, 150' Cord
FLED-VK-TR	TREO Vinyl Adapter Kit
FLED-LAU-C	RGB Replacement Lamp
FLED-LAU-W	White Replacement Lamp





Part No.	Description
KLED-C-XL-80	kēloXL 38W RGB LED 10" Light, 80' cord, White Trim Plate
KLED-C-XL-150	kēloXL 38W RGB LED 10" Light, 150' cord, White Trim Plate
KLED-W-XL-80	kēloXL 42W White LED 10" Light, 80' cord, White Trim Plate
KLED-W-XL-150	kēloXL 42W White LED 10" Light, 150' cord, White Trim Plate
KLED-C-XL-G-80	kēloXL 38W RGB LED 10" Light, 80' cord, Gray Trim Plate
KLED-C-XL-G-150	kēloXL 38W RGB LED 10" Light, 150' cord, Gray Trim Plate
KLED-W-XL-G-80	kēloXL 42W White LED 10" Light, 80' cord, Gray Trim Plate
KLED-W-XL-G-150	kēloXL 42W White LED 10" Light, 150' cord, Gray Trim Plate

6



# kēlo<sup>®</sup> LED Light

The kēlo is a 12VAC, 7 Watt LED underwater light for gunite, vinyl liner, and fiberglass pools.


- Low profile design
- Designed for use with 1.5" diameter threaded wall fittings
- Available in lengths of 30', 80', 150'
- No earth bonding required
- Color functionality:
- Advanced operation with poolLUX Premier Up to (49) color variations and dimming control (via wireless remote)
- 12VAC operation (6) colors (white, blue, green, red, amber, magenta) and (2) light shows
- Color LED with memory function
- Five colored trim rings included to match the surface of your pool
- 3 year warranty
- ETL Listed Conforms to UL676
- Certified to CSA C22.2 #89
- Compatible with all S.R.Smith lighting control power units




# micro LED Light

The micro is 12VAC, 2 Watt LED underwater light designed for accent lighting applications for gunite, vinyl liner and fiberglass pools.

- Available in lengths of 30', 50', 80', 150'
- No earth bonding required
- White or color changing LED models available
- Color functionality:
- Advanced operation with poolLUX Premier Up to (49) color variations and dimming control (via wireless remote)
- 12VAC operation (6) colors (white, blue, green, red, amber, magenta) and (2) light shows
- Color memory function
- Five colored trim rings included to match the surface of your pool
- Designed for use with 0.75" diameter conduit Includes wall fitting adapter
- 3 year warranty
- ETL Listed Conforms to UL676
- Certified to CSA C22.2 #89
- Compatible with all S.R.Smith lighting control power units









Part No.	Description
KLED-C-30	(1) kēlo 7 Watt RGB LED Light, 30' Cord
KLED-C-80	(1) kēlo 7 Watt RGB LED Light, 80' Cord
KLED-C-80-PK8	(8) kēlo 7 Watt RGB LED Lights, 80' Cord
KLED-C-150	(1) kēlo 7 Watt RGB LED Light, 150' Cord
KLED-C-150-PK8	(8) kēlo 7 Watt RGB LED Lights, 150' Cord

#### Color Options Green Magenta White Blue Red Amber






# LED LIGHTS








Part No.	Description
FLED-TM-C-30	(1) micro 2W RGB LED Light, 30' Cord
FLED-TM-C-50	(1) micro 2W RGB LED Light, 50' Cord
FLED-TM-C	(1) micro 2W RGB LED Light, 80' Cord
FLED-TM-C-PK10	(10) micro 2W RGB LED Lights, 80' Cord
FLED-TM-C-150	(1) micro 2W RGB LED Light, 150' Cord
FLED-TM-W	(1) micro 2W White LED Light, 80' Cord
FLED-TM-W-150	(1) micro 2W White LED Light, 150' Cord
FLED-FA-TM	micro Fitting Adapter
FLED-FGGF-TM	micro Gunite Fitting, 3/4" PVC


# Fiberglass (FG) LED Light

The FG is a 12VAC, 5 Watt LED underwater light for new construction fiberglass pools.

- Available in lengths of 30', 50', 80', 150'
- No earth bonding required
- White or color changing LED models available
- Color functionality:
- Advanced operation with poolLUX Premier Up to (49) color variations and dimming control (via wireless remote)
- 12VAC operation (6) colors (white, blue, green, red, amber, magenta) and (2) light shows
- Color memory function
- 0.75" or 0.5" conduit required
- 3 year warranty
- ETL Listed Conforms to UL676
- Certified to CSA C22.2 #89
- Compatible with all S.R.Smith lighting control power units










Part No.	Description
FLED-C-FG-30	(1) Fiberglass 5 Watt RGB LED Light, 30' Cord
FLED-C-FG-50	(1) Fiberglass 5 Watt RGB LED Light, 50' Cord
FLED-C-FG	(1) Fiberglass 5 Watt RGB LED Light, 80' Cord
FLED-C-FG-150	(1) Fiberglass 5 Watt RGB LED Light, 150' Cord
FLED-W-FG-30	(1) Fiberglass 5 Watt White Only Light, 30' Cord
FLED-W-FG-50	(1) Fiberglass 5 Watt White Only Light, 50' Cord
FLED-W-FG	(1) Fiberglass 5 Watt White Only Light, 80' Cord
FLED-W-FG-150	(1) Fiberglass 5 Watt White Only Light, 150' Cord
FLED-LAU-C	Fiberglass RGB Replacement Lamp
FLED-LAU-W	Fiberglass White Replacement Lamp
FLED-LC-FG	Clear Snap-On Cover



# LIGHTING CONFIGURATION GUIDE

LIGHTS		-1 📢 🚺				-(0
Features	Mod-Lite®	Mod-Lite® MultiWhite™	TREO	kēlo®	kēlo®XL	micro
PowerPass™ Wireless Power Technology	$\checkmark$	$\checkmark$				
Compatible with poolLUX™ Power, Plus, Plus2 and Premier	$\checkmark$	(excludes Premier)	$\checkmark$	$\checkmark$	(excludes Premier)	$\checkmark$
Field replaceable lamp	$\checkmark$	$\checkmark$	$\checkmark$			
Cord lengths available	80', 150'	80', 150'	30', 50', 80', 150'	30', 80', 150'	80', 150'	30', 50', 80', 150'
6 colors / 2 shows (via 12 VAC operation) Color RGB LED (white, blue, green, red, amber, and magenta)	$\checkmark$	3 Whites in 1 Light	$\checkmark$	$\checkmark$	Color or White	~
49 color options & dimming levels with poolLUX™ Premier	$\checkmark$	not compatible	$\checkmark$	$\checkmark$	not compatible	$\checkmark$
Accent lighting (water features, steps, shelves, bubblers, landscaping and more)						~
ETL listed - Conforms to UL 676, certified to CSA C22.2 #89	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Power consumption	7W	9W	5W	7W	Color 38W White 42W	2W
Fits conduit down to 0.75"	✓	✓				
Warranty	3 Years	3 Years	3 Years	3 Years	3 Years	3 Years
Pool Type		Fiberglass/Vin	yl Liner/Gunite		Vinyl Liner or Gunite	Fiberglass/Vinyl Liner/Gunite
Pool Stage		New Construction, Renovation or Replacement/Repair				
Use Cases	Easiest to fit, install and maintain in any pool. Popular for Fiber to LED upgrades and LED small format lighting upgrades because of uniquely small neck (takes the guess work out of retrofitting).	The one-and- ONLY LED light with 3 whites in 1 light. Perfect for dark finished pools, under- lit pools or for complementing pool to surrounding landscape lighting.	Tried and true serviceable LED light.	Economical and bright LED light option for in-ground and on-ground pools.	Economical and bright LED replacement light for 10" wet niche lights.	Perfect accent light for spas, steps, water features, bubblers and landscaping.

# LIGHTING CONFIGURATION GUIDE Combine S.R.Smith lights and lighting controls for maximum features and endless possibilities.

LIGHTING CONTROLS & TRANSFORMERS	_	-1 📢 🚺				
Configuration Options	Mod-Lite <sup>®</sup>	Mod-Lite <sup>®</sup> MultiWhite™	TREO	kēlo®	kēlo®XL	micro
poolLUX® PREMIER 70W on 10 - 7W circuits up to 49 color options, 2 shows and 4 dimming levels	up to 10 Lights (1 light per circuit)	not compatible	up to 10 Lights (1 light per circuit)	up to 10 Lights (1 light per circuit)	not compatible	up to 30 Lights (up to 3 lights per circuit)
poolLUX <sup>®</sup> PLUS2 120W Transformer (Dual zone - 60W per zone)	up to 7 lights per zone 7 (x2 zones) = 14 lights	up to 6 lights per zone 6 (x2 zones) = 12 lights	11 lights per zone 11 (x2 zones) = 22 lights	up to 7 lights per zone 7 (x2 zones) = 14 lights	1 light per zone	up to 27 lights per zone 27 (x2 zones) = 54 lights
poolLUX <sup>®</sup> PLUS and POWER 60W Transformers	up to 7 lights	up to 6 lights	up to 11 lights	up to 7 lights	1 light	up to 27 lights
poolLUX <sup>®</sup> PLUS and POWER 100W Transformers	up to 13 lights	up to 10 lights	up to 18 lights	up to 13 lights	2 lights	up to 45 lights

# SCAN TO SEE THE LIGHTING POSSIBILITIES FOR YOURSELF!

Take the guess work out of choosing which light will fit with this FREE Fit Gauge tool to measure depth and diameter of fitting and adjacent conduit. Scan here to get yours!

Have questions? Our Lighting Specialists are here to help! Call 800-824-4387 or email us at customercare@srsmith.com

12 srsmith.com





# poolLUX<sup>®</sup> Premier

# Custom Lighting System with Wireless Control

- Works exclusively with S.R.Smith LED lights (excluding the Mod-Lite<sup>®</sup> MultiWhite<sup>™</sup> LED light)
- Extended range (100' line of sight) wireless remote with color selection wheel and dimming bar
- (6) standard colors and (2) shows via on/off power toggle
- Up to (49) color variations via color selection wheel
- Multiple brightness (dimming) options available
  - (4) via wireless remote dimming bar and (15) available via the control panel dimming button
- (10) wiring station system\* with a built in 70W power supply (\*7W max per station)
- Corrosion resistant (NEMA 3R), sound dampening housing
- (6) low-voltage and (2) line-voltage combination knockouts (3/4" or 1")
- ETL Listed Conforms to UL 379 (Pool, Spa and Fountain Power Unit Standard)
- Certified to CSA C22.2#218.1
- 2 year warranty







0

Calor Mode

•

Q

0



# Dual Zone Transformer with Wireless Control

- (2) 60W low-voltage transformers
- Independent or synchronized control of each transformer
- External Illuminated control switches for each transformer
- Extended range (100' line of sight) wireless remote with one-touch color sync for S.R.Smith LED lights
- S.R.Smith LED lights feature (6) colors and (2) shows
- Compatible with other 12VAC power toggle LED lights
- Oversized wiring space with convenient terminal strip connections
- Internal self-resetting thermal fuse to protect against overheating conditions
- Fast acting replaceable current fuse for safety enhancing short circuit protection
- Accessible low voltage 12VAC and 13VAC wiring terminals for standard or extended wiring runs
- Corrosion resistant (NEMA 3R) and sound dampening housing (quiet operation)
- (4) low-voltage and (4) line-voltage combination knockouts
   (3/4" or 1") plus (2) special use knockouts
- ETL Listed Conforms to UL 379 (Pool, Spa and Fountain Power Unit Standard)
- Certified to CSA C22.2#218.1
- 2 year warranty

Description		
Dual-Zone; Two 60W Transformer with Wireless Remo		
poolLUX Plus2 Kits with Mod-Lite LED Lights		
(1) poolLUX Plus2 - (2) Mod-Lite 7 Watt RGB LED Ligh		
(1) poolLUX Plus2 - (3) Mod-Lite 7 Watt RGB LED Ligh		
poolLUX Plus2 Kits with TREO LED Lights		
(1) poolLUX Plus2 - (2) TREO 5 Watt RGB LED Lights,		
(1) poolLUX Plus2 - (3) TREO 5 Watt RGB LED Lights,		
poolLUX Plus2 Kits with kelo LED Lights		
(1) poolLUX Plus2 - (2) kelo 7 Watt RGB LED Lights, 80		
(1) poolLUX Plus2 - (3) kelo 7 Watt RGB LED Lights, 80		

Part No.	Description		
pLX-PRM	(1) poolLUX Premier Control System with Wireless Remote		
poolLUX Premi	poolLUX Premier Kits with Mod-Lite LED Lights		
2ML-pLX-PRM	(1) poolLUX Premier - (2) Mod-Lite 7 Watt RGB LED Lights, 80' cord		
3ML-pLX-PRM	(1) poolLUX Premier - (3) Mod-Lite 7 Watt RGB LED Lights, 80' cord		
poolLUX Premier Kits with TREO LED Lights			
2TR-pLX-PRM	(1) poolLUX Premier - (2) TREO 5 Watt RGB LED Lights, 80' cord		
3TR-pLX-PRM	(1) poolLUX Premier - (3) TREO 5 Watt RGB LED Lights, 80' cord		
poolLUX Premier Kits with kelo LED Lights			
2KE-pLX-PRM	(1) poolLUX Premier - (2) kelo 7 Watt RGB LED Lights, 80' cord		
3KE-pLX-PRM	(1) poolLUX Premier - (3) kelo 7 Watt RGB LED Lights, 80' cord		

14



5.03

# poolLUX<sup>®</sup> Plus


# Transformer System with Wireless Control


- 60W or 100W low-voltage transformer options
- External on/off control switch
- Extended range (100' line of sight) wireless remote with one-touch color sync for S.R.Smith LED lights - S.R.Smith LED lights feature (6) colors and (2) shows
- Compatible with other 12VAC power toggle LED lights
- Oversized wiring space with convenient terminal strip connections
- Internal self-resetting thermal fuse to protect against overheating conditions
- Fast acting replaceable current fuse for safety enhancing short circuit protection
- Accessible low voltage 12VAC and 13VAC wiring terminals for standard or extended wiring runs
- Corrosion resistant (NEMA 3R) and sound dampening housing (quiet operation)
- (4) low-voltage and (4) line-voltage combination knockouts (3/4" or 1") Plus (2) special use knockouts
- ETL Listed Conforms to UL 379 (Pool, Spa and Fountain Power Unit Standard)
- Certified to CSA C22.2#218.1
- 2 year warranty

Part No.	Description	
pLX-PL60	(1) poolLUX Plus 60 Watt Transformer with Wireless Remote	
pLX-PL100	(1) poolLUX Plus 100 Watt Transformer with Wireless Remote	
poolLUX Plus Kits with Mod-Lite LED Lights		
1ML-pLX-PL60	(1) poolLUX Plus 60 - (1) Mod-Lite 7 Watt RGB LED Light, 80' cord	
2ML-pLX-PL60	(1) poolLUX Plus 60 - (2) Mod-Lite 7 Watt RGB LED Lights, 80' cord	
3ML-pLX-PL60	(1) poolLUX Plus 60 - (3) Mod-Lite 7 Watt RGB LED Lights, 80' cord	
2ML-pLX-PL100	(1) poolLUX Plus 100 - (2) Mod-Lite 7 Watt RGB LED Lights, 80' cord	
3ML-pLX-PL100	(1) poolLUX Plus 100 - (3) Mod-Lite 7 Watt RGB LED Lights, 80' cord	
poolLUX Plus Kits with TREO LED Lights		
2TR-pLX-PL60	(1) poolLUX Plus 60 - (2) TREO 5 Watt RGB LED Lights, 80' cord	
3TR-pLX-PL60	(1) poolLUX Plus 60 - (3) TREO 5 Watt RGB LED Lights, 80' cord	
2TR-pLX-PL100	(1) poolLUX Plus 100 - (2) TREO 5 Watt RGB LED Lights, 80' cord	
3TR-pLX-PL100	(1) poolLUX Plus 100 - (3) TREO 5 Watt RGB LED Lights, 80' cord	
poolLUX Plus Kits with kēlo LED Lights		
2KE-pLX-PL60	(1) poolLUX Plus 60 - (2) kēlo 7 Watt RGB LED Lights, 80' cord	
3KE-pLX-PL60	(1) poolLUX Plus 60 - (3) kēlo 7 Watt RGB LED Lights, 80' cord	
2KE-pLX-PL100	(1) poolLUX Plus 100 - (2) kēlo 7 Watt RGB LED Lights, 80' cord	
3KE-pLX-PL100	(1) poolLUX Plus 100 - (3) kēlo 7 Watt RGB LED Lights, 80' cord	



# 





# poolLUX<sup>®</sup> Plus

### Low Voltage Transformer

- 60W or 100W low-voltage transformer options
- External on/off control switch
- Compatible with S.R.Smith LED lights and other 12VAC power toggle LED lights
- S.R.Smith LED lights feature (6) colors and (2) shows
- Oversized wiring space with convenient terminal strip connections
- Internal self-resetting thermal fuse to protect against overheating conditions
- Fast acting replaceable current fuse for safety enhancing short circuit protection
- Accessible low-voltage 12VAC and 13VAC wiring terminals for standard or extended wiring runs
- Corrosion resistant (NEMA 3R) and sound dampening housing (quiet operation)
- (4) low-voltage and (4) line-voltage combination knockouts (3/4" or 1") Plus (2) special use knockouts
- ETL Listed Conforms to UL 379 (Pool, Spa and Fountain Power Unit Standard)
- Certified to CSA C22.2#218.1
- 2 year warranty


Part No.	Description
pLX-PW60	(1) poolLUX Power 60 Watt Transformer
pLX-PW100	(1) poolLUX Power 100 Watt Transformer
poolLUX Power Kits	with Mod-Lite LED Lights
1ML-PLX-PW60	(1) poolLUX Power 60 - (1) Mod-Lite 7 Watt RGB LED
2ML-pLX-PW60	(1) poolLUX Power 60 - (2) Mod-Lite 7 Watt RGB LE
3ML-pLX-PW60	(1) poolLUX Power 60 - (3) Mod-Lite 7 Watt RGB LE
2ML-pLX-PW100	(1) poolLUX Power 100 - (2) Mod-Lite 7 Watt RGB L
3ML-pLX-PW100	(1) poolLUX Power 100 - (3) Mod-Lite 7 Watt RGB L
poolLUX Power Kits	with TREO LED Lights
2TR-pLX-PW60	(1) poolLUX Power 60 - (2) TREO 5 Watt RGB LED
3TR-pLX-PW60	(1) poolLUX Power 60 - (3) TREO 5 Watt RGB LED
2TR-pLX-PW100	(1) poolLUX Power 100 - (2) TREO 5 Watt RGB LE
3TR-pLX-PW100	(1) poolLUX Power 100 - (3) TREO 5 Watt RGB LE
poolLUX Power Kits	with kēlo LED Lights
2KE-pLX-PW60	(1) poolLUX Power 60 - (2) kēlo 7 Watt RGB LED I
3KE-pLX-PW60	(1) poolLUX Power 60 - (3) kēlo 7 Watt RGB LED I
2KE-pLX-PW100	(1) poolLUX Power 100 - (2) kēlo 7 Watt RGB LED
3KE-pLX-PW100	(1) poolLUX Power 100 - (3) kēlo 7 Watt RGB LED






2

1





# Power Tower PT-6001 & PT-6002 LED Star Feature Kits

### Fiber to LED Conversion Kits


The new & improved PT-6001 & PT-6002 Fiber to LED conversion kits are an energy efficient, direct replacement for Fiberstars 6004/2004 fiber optic illuminators.

- Available as single 60 Watt, 1-circuit unit (PT-6001) or dual 60 Watt, 2-circuit unit (PT-6002) with sync or independent circuit control
- Both models include 12VAC and 13VAC output options and an auto-resetting thermal fuse for overloading and replaceable current fusing for enhanced water safety
- New screwless terminals for reliable, quick and easy connections in half the time (compared to original PT-6000) - no wire nuts required
- Wireless remote control with one-touch color sync for S.R.Smith LED lighting products
- Corrosion-resistant polycarbonate enclosure rated NEMA 3R
- ETL Listed Conforms to UL 379
- Certified to CSA C22.2#218.1
- 2 year warranty

Part No.	Description
PT-6001	(1) PT-6001 Power 60W Transformer with Wireless Remote
PT-6002	(1) PT-6002 Dual Zone; Two 60W Transformers with Wireless Remote Control
PT-BASE	(1) PT-6000 Series Base
Power Tower k	(its (base included) with Mod-Lite LED Lights
1ML-PT-6001	(1) PT-6001 Kit - (1) Mod-Lite 7 Watt RGB LED Light, 80' cord
2ML-PT-6001	(1) PT-6001 Kit - (2) Mod-Lite 7 Watt RGB LED Lights, 80' cord
3ML-PT-6001	(1) PT-6001 Kit - (3) Mod-Lite 7 Watt RGB LED Lights, 80' cord
2ML-PT-6002	(1) PT-6002 Kit - (2) Mod-Lite 7 Watt RGB LED Lights, 80' cord
3ML-PT-6002	(1) PT-6002 Kit - (3) Mod-Lite 7 Watt RGB LED Lights, 80' cord
Power Tower Kits (base included) with TREO LED Lights	
1TR-PT-6001	(1) PT-6001 Kit - (1) TREO 5 Watt RGB LED Light, 80' cord
2TR-PT-6001	(1) PT-6001 Kit - (2) TREO 5 Watt RGB LED Lights, 80' cord
3TR-PT-6001	(1) PT-6001 Kit - (3) TREO 5 Watt RGB LED Lights, 80' cord
2TR-PT-6002	(1) PT-6002 Kit - (2) TREO 5 Watt RGB LED Lights, 80' cord
3TR-PT-6002	(1) PT-6002 Kit - (3) TREO 5 Watt RGB LED Lights, 80' cord
Power Tower k	(its (base included) with kēlo LED Lights
1KE-PT-6001	(1) PT-6001 Kit - (1) kēlo 7 Watt RGB LED Light, 80' cord
2KE-PT-6001	(1) PT-6001 Kit - (2) kēlo 7 Watt RGB LED Lights, 80' cord
3KE-PT-6001	(1) PT-6001 Kit - (3) kēlo 7 Watt RGB LED Lights, 80' cord
2KE-PT-6002	(1) PT-6002 Kit - (2) kēlo 7 Watt RGB LED Lights, 80' cord
3KE-PT-6002	(1) PT-6002 Kit - (3) kēlo 7 Watt RGB LED Lights, 80' cord








The newly reconfigured LED Star Feature kits now include either a single or dual 12VAC, 5 watt LED light source with a 25- or 50-point fiber optic transmission system for gunite pools or other concrete based features such as patios, walk ways, bar tops, stone/paver walls, etc. These upgraded kits now come in a corrosion resistant, wall- or post-mounted, NEMA 3R enclosure and offer up to 50' fiber runs.


- 25 or 50 Star Points
- Advanced color functionality when powered by a poolLUX Premier control unit:
- Up to (49) color variations and dimming control (via wireless remote)
- 12VAC operation (6) colors (white, blue, green, red, amber, magenta) and (2) light shows
- ETL Listed Conforms to UL 2108
- Certified to CSA C22.2 #250
- Compatible with all S.R.Smith lighting transformers and control power units
- Memory function
- 100' of 12VAC cable
- Includes 50' fiber
- 3 year warranty



Description
(1) Star Series RGB LED Light Kit - 25 Fiber Optic S
(1) Star Series RGB LED Light Kit - 50 Fiber Optic S
Description
(1) poolLUX Premier Control System with Wireless Re
(1) poolLUX Plus2 Dual-Zone/Two 60W (Total 120W)

# ADVANCE APPLICATIONS





100' 12VAC Cable(s) included. One or two light sources – kit dependent





Low voltage power unit/ transformer required

Star Points. 50' fiber cable

Star Points. 50' fiber cable

emote

) Transformers with Wireless Remote

emote




S.R.Smith's dedicated Lighting Specialists will work with you to make your pools stand out from the rest through planning, application support and product selection.



**STAR FEATURE KITS** are designed to bring awe-inspiring ambiance to any pool setting,

Stars can be placed inside or outside the pool to enhance the overall look and feel whether it's a patio (as shown below bottom left) or any other place you choose to add a custom lighting effect that blends the desired aesthetic of fiber optic with energy-efficient LED illumination.

#### FIBER TO LED TRANSFORMATION



MORE FEATURES, MORE DURABILITY, MORE SPACE, MORE VALUE.



1 = 2 Mod-Lite<sup>™</sup> Wireless Lights 2 = LED Star Feature Lights



1 = 2 Kelo LED Lights 2 = 1 Micro LED Light



**2** = Landscape Lights


Between the 1980's and early 2000's fiber optic lighting was commonly used in swimming pools. Over time, fiber can degrade, leaving pools looking dark, dull, and dated. S.R.Smith Power Tower (PT-6001 & PT-6002) Fiber to LED Conversion Kits give builders and service companies a solution to upgrade fading fiber to LED lighting using the existing fiber conduit.

Our poolLUX Plus2 and Power Tower PT-6002 provide dual-zone capabilities, designed for applications where 2 zones of lighting are desired.



# **TRADE CENTRAL**

to grow and support your pool business.





FIBER TO LED PRO TIPS CONVERSIO Learn Education, Profit and Tech Step by Step Fiber to LE Tips for Your Business











Stay Up to Date on S.R.Smith Products







Order a Custom Slide



Select the Right St

### SCAN THIS CODE OR VISIT SRSMITH.COM/TRADECENTRAL







800.824.4387 srsmith.com

No part of this may be copied or reproduced without the expressed written consent of S.R.Smith, LLC

©Copyright 2022 S.R.Smith, LLC. All rights reserved. | M-E-BRO-629